


Q1 What school do you attend?


Answered: 389 Skipped: 1



ANSWER CHOICES	RESPONSES	
Osage R-1 - Chamois	7.71%	30
Osage R-2 - Linn	34.45%	134
Osage R-3 - Fatima	46.02%	179
St. George - Linn	4.37%	17
St. Joseph - Westphalia	0.00%	0
St. Mary's - Frankenstein	0.00%	0
Sacred Heart - Rich Fountain	0.77%	3
Immaculate Conception - Loose Creek	3.86%	15
Holy Family - Freeburg	2.83%	11
TOTAL		389

Q2 What is your grade level?


Answered: 389 Skipped: 1



ANSWER CHOICES	RESPONSES	
7th grade	27.76%	108
9th grade	41.13%	160
11th grade	31.11%	121
TOTAL		389

Q3 What is your sex?


Answered: 386 Skipped: 4



ANSWER CHOICES	RESPONSES	
Male	48.19%	186
Female	51.81%	200
TOTAL		386

Q4 What is your ethnicity?


Answered: 388 Skipped: 2



ANSWER CHOICES	RESPONSES	
White	96.65%	375
African American	1.55%	6
Hispanic	0.52%	2
Other	1.29%	5
TOTAL		388

Q5 Used alcohol?


Answered: 380 Skipped: 10



ANSWER CHOICES	RESPONSES	
Yes	27.89%	106
No	72.11%	274
TOTAL		380

Q6 Used electronic cigarettes?


Answered: 380 Skipped: 10



ANSWER CHOICES	RESPONSES	
Yes	10.79%	41
No	89.21%	339
TOTAL		380

Q7 Used RX (prescriptions) not prescribed for you by a doctor?


Answered: 380 Skipped: 10



ANSWER CHOICES	RESPONSES	
Yes	5.00%	19
No	95.00%	361
TOTAL		380

Q8 Used tobacco (cigarettes or chew)?


Answered: 381 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	7.35%	28
No	92.65%	353
TOTAL		381

Q9 Used marijuana?


Answered: 381 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	4.20%	16
No	95.80%	365
TOTAL		381

Q10 Used hookah or water pipes?


Answered: 381 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	2.62%	10
No	97.38%	371
TOTAL		381

Q11 Used OTC (over the counter) drugs for non-medical reasons?


Answered: 380 Skipped: 10



ANSWER CHOICES	RESPONSES	
Yes	2.63%	10
No	97.37%	370
TOTAL		380

Q12 Used inhalants?


Answered: 379 Skipped: 11



ANSWER CHOICES	RESPONSES
Yes	2.37% 9
No	97.63% 370
TOTAL	379

Q13 Used synthetic drugs?


Answered: 380 Skipped: 10



ANSWER CHOICES	RESPONSES	
Yes	4.21%	16
No	95.79%	364
TOTAL		380

Q14 Ridden with someone who was drinking alcohol?


Answered: 381 Skipped: 9



ANSWER CHOICES	RESPONSES	
Yes	31.23%	119
No	68.77%	262
TOTAL		381

Q15 Used hallucinogens such as LSD (acid), PCP (angel dust), or magic mushrooms?


Answered: 379 Skipped: 11



ANSWER CHOICES	RESPONSES	
Yes	2.11%	8
No	97.89%	371
TOTAL		379

Q16 Used cocaine or "crack"?


Answered: 376 Skipped: 14



ANSWER CHOICES	RESPONSES	
Yes	1.33%	5
No	98.67%	371
TOTAL		376

Q17 Used "club drugs" such as ecstasy?


Answered: 378 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	1.06%	4
No	98.94%	374
TOTAL		378

Q18 Used methamphetamine (meth, crank, crystal, ice)?


Answered: 378 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	0.79%	3
No	99.21%	375
TOTAL		378

Q19 Used heroin or "smack"?


Answered: 378 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	0.79%	3
No	99.21%	375
TOTAL		378

Q20 Considered suicide?


Answered: 378 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	17.99%	68
No	82.01%	310
TOTAL		378

Q21 Planned suicide?


Answered: 378 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	8.99%	34
No	91.01%	344
TOTAL		378

Q22 Attempted suicide?


Answered: 378 Skipped: 12



ANSWER CHOICES	RESPONSES	
Yes	7.41%	28
No	92.59%	350
TOTAL		378

Q23 Use prescription drugs that have not been prescribed to you.


Answered: 376 Skipped: 14



ANSWER CHOICES	RESPONSES
Not wrong at all	1.60% 6
A little bit wrong	8.24% 31
Wrong	25.53% 96
Very wrong	64.63% 243
TOTAL	376

Q24 Use cold/cough medicines or over the counter meds to get high.


Answered: 376 Skipped: 14



ANSWER CHOICES	RESPONSES	
Not wrong at all	1.86%	7
A little bit wrong	4.26%	16
Wrong	21.01%	79
Very wrong	72.87%	274
TOTAL		376

Q25 Have 5+ drinks, once or twice a week.


Answered: 377 Skipped: 13



ANSWER CHOICES	RESPONSES	
Not wrong at all	10.34%	39
A little bit wrong	18.30%	69
Wrong	22.81%	86
Very wrong	48.54%	183
TOTAL		377

Q26 Smoke tobacco.


Answered: 377 Skipped: 13



ANSWER CHOICES	RESPONSES	
Not wrong at all	5.04%	19
A little bit wrong	13.26%	50
Wrong	24.93%	94
Very wrong	56.76%	214
TOTAL		377

Q27 Take one or two drinks of an alcoholic beverage nearly every night.


Answered: 376 Skipped: 14



ANSWER CHOICES	RESPONSES
Not wrong at all	7.18% 27
A little bit wrong	17.82% 67
Wrong	24.47% 92
Very wrong	50.53% 190
TOTAL	376

Q28 Smoke marijuana once or twice a week.


Answered: 377 Skipped: 13



ANSWER CHOICES	RESPONSES	
Not wrong at all	5.84%	22
A little bit wrong	7.43%	28
Wrong	18.83%	71
Very wrong	67.90%	256
TOTAL		377

Q29 Smoke e-cigarettes.


Answered: 377 Skipped: 13



ANSWER CHOICES	RESPONSES
Not wrong at all	6.90% 26
A little bit wrong	11.14% 42
Wrong	25.20% 95
Very wrong	56.76% 214
TOTAL	377

Q30 Smoke marijuana.


Answered: 375 Skipped: 15



ANSWER CHOICES	RESPONSES	
Not wrong at all	6.40%	24
A little bit wrong	7.47%	28
Wrong	20.80%	78
Very wrong	65.33%	245
TOTAL		375

Q31 Have a drink of any type of alcohol.


Answered: 376 Skipped: 14



ANSWER CHOICES	RESPONSES	
Not wrong at all	21.81%	82
A little bit wrong	27.39%	103
Wrong	19.41%	73
Very wrong	31.38%	118
TOTAL		376

Q32 Cold/cough medicines or over the counter medicines


Answered: 371 Skipped: 19



ANSWER CHOICES	RESPONSES	
Very easy	36.12%	134
Sort of easy	23.18%	86
Sort of hard	19.14%	71
Very hard	21.56%	80
TOTAL		371

Q33 Alcohol


Answered: 370 Skipped: 20



ANSWER CHOICES	RESPONSES	
Very easy	34.05%	126
Sort of easy	26.49%	98
Sort of Hard	14.05%	52
Very Hard	25.41%	94
TOTAL		370

Q34 Cigarettes


Answered: 369 Skipped: 21



ANSWER CHOICES	RESPONSES	
Very easy	15.45%	57
Sort of easy	13.55%	50
Sort of hard	19.24%	71
Very hard	51.76%	191
TOTAL		369

Q35 E-cigarettes


Answered: 371 Skipped: 19



ANSWER CHOICES	RESPONSES	
Very easy	18.06%	67
Sort of easy	13.48%	50
Sort of hard	17.25%	64
Very hard	51.21%	190
TOTAL		371

Q36 Marijuana


Answered: 370 Skipped: 20



ANSWER CHOICES	RESPONSES
Very easy	8.92% 33
Sort of easy	8.38% 31
Sort of hard	14.05% 52
Very hard	68.65% 254
TOTAL	370

Q37 Prescription (RX) drugs that have not been prescribed to you


Answered: 370 Skipped: 20



ANSWER CHOICES	RESPONSES	
Very easy	15.14%	56
Sort of easy	11.62%	43
Sort of hard	19.46%	72
Very hard	53.78%	199
TOTAL		370

Q38 Synthetic drugs


Answered: 371 Skipped: 19



ANSWER CHOICES	RESPONSES	
Very easy	4.58%	17
Sort of easy	5.39%	20
Sort of hard	13.21%	49
Very hard	76.82%	285
TOTAL		371

Q39 Other illegal drugs


Answered: 370 Skipped: 20



ANSWER CHOICES	RESPONSES
Very easy	4.05% 15
Sort of easy	4.32% 16
Sort of hard	10.00% 37
Very hard	81.62% 302
TOTAL	370

Q40 Smoke cigarettes


Answered: 366 Skipped: 24



ANSWER CHOICES	RESPONSES	
No risk at all	4.10%	15
Slight risk	8.74%	32
Moderate risk	34.43%	126
Great risk	52.73%	193
TOTAL		366

Q41 Smoke marijuana once or twice a week


Answered: 368 Skipped: 22



ANSWER CHOICES	RESPONSES	
No risk at all	5.71%	21
Slight risk	13.04%	48
Moderate risk	29.89%	110
Great risk	51.36%	189
TOTAL		368

Q42 Drink alcohol


Answered: 368 Skipped: 22



ANSWER CHOICES	RESPONSES	
No risk at all	8.97%	33
Slight risk	36.68%	135
Moderate risk	27.72%	102
Great risk	26.63%	98
TOTAL		368

Q43 Take one or two drinks of an alcoholic beverage nearly every day


Answered: 364 Skipped: 26



ANSWER CHOICES	RESPONSES	
No risk at all	9.89%	36
Slight risk	22.25%	81
Moderate risk	32.97%	120
Great risk	34.89%	127
TOTAL		364

Q44 Use cold/cough medicine or over the counter medicines to get high


Answered: 367 Skipped: 23



ANSWER CHOICES	RESPONSES
No risk at all	3.27% 12
Slight risk	8.99% 33
Moderate risk	30.52% 112
Great risk	57.22% 210
TOTAL	367

Q45 Have five or more drinks of an alcoholic beverage once or twice a week


Answered: 365 Skipped: 25



ANSWER CHOICES	RESPONSES	
No risk at all	7.67%	28
Slight risk	18.36%	67
Moderate risk	35.34%	129
Great risk	38.63%	141
TOTAL		365

Q46 Smoke one or more packs of cigarettes per day


Answered: 366 Skipped: 24



ANSWER CHOICES	RESPONSES
No risk at all	3.55% 13
Slight risk	2.73% 10
Moderate risk	15.57% 57
Great risk	78.14% 286
TOTAL	366

Q47 Use prescription (RX) drugs that have not been prescribed to them


Answered: 367 Skipped: 23



ANSWER CHOICES	RESPONSES
No risk at all	3.54% 13
Slight risk	4.09% 15
Moderate risk	27.79% 102
Great risk	64.58% 237
TOTAL	367

Q48 Use synthetic drugs


Answered: 369 Skipped: 21



ANSWER CHOICES	RESPONSES
No risk at all	4.34% 16
Slight risk	3.52% 13
Moderate risk	15.99% 59
Great risk	76.15% 281
TOTAL	369

Q49 Use any other illegal drugs or club drugs


Answered: 368 Skipped: 22



ANSWER CHOICES	RESPONSES
No risk at all	2.99% 11
Slight risk	1.63% 6
Moderate risk	13.04% 48
Great risk	82.34% 303
TOTAL	368

Q50 Do your parents let you drink alcoholic beverages at home?


Answered: 365 Skipped: 25



ANSWER CHOICES	RESPONSES	
Yes	19.45%	71
No	80.55%	294
TOTAL		365

Q51 Do your parents let you use tobacco products at home?

Answered: 366 Skipped: 24



ANSWER CHOICES	RESPONSES	
Yes	2.19%	8
No	97.81%	358
TOTAL		366